



TEST RESULTS

**YOUR ANTIGEN LATERAL FLOW
(SARS CoV-2 (COVID-19) Test result is:
NEGATIVE**

Your coronavirus (COVID-19) test result is negative. You did not have the virus when the test was done.

You are not required to self-isolate.

You should self-isolate again if you get symptoms of coronavirus (COVID-19) get an NHS coronavirus (COVID-19) test from www.gov.uk/get-coronavirus-test and self-isolate until you get the results.

For advice on when you might need to self-isolate and what to do, go to www.nhs.uk/conditions/coronavirus-covid-19 and read Self-isolation and treating symptoms.

Test: Antigen Lateral Flow

First Name: John

Surname: Doe

Sex: Male

D.o.B: 20/01/2022

Passport No: 123456

Batch Number: 23452345

Date/Time Swab Taken: 20/01/2022 13:45

Date Certification of Result:
20/01/2022

Test details: POCT Lateral Flow

Type of test: Flowflex SARS-CoV-2 Antigen Rapid Test

The Floflex SARS-CoV-2 Antigen Rapid Test is an immunochromatographic membrane assay that detects the nucleocapsid protein from SARS-CoV-2 in human anterior nasal swab specimens. Test results are read visually at 15-30minutes based on the presence or absence of coloured lines. Sample collection is in the form of a swab from an individuals anterior nasopharynx.

Relative Sensitivity: 97.1% | Relative Specificity: 99.5% | Accuracy: 98.8%.

Clinician and clinic details

Clinician: Joe Blogs | Reg No: 123456 | Millard and Bullock Chemist, Coseley WV14 9DD | UKAS Certification: 22666

This report shall not be reproduced without approval from Cheltenham, West Midlands and Worcester Travel Clinic

Dr Azeem Tariq GMC
Medical Officer

Nadeem Nasrullah Mpharm IPresc
Medical Officer